### Datasheet





### **Pocket Light**

#### 3W rechargeable LED portable pocket work light

The Kosnic Rechargeable LED Portable Pocket Light may be use outdoors on work sites but is equally useful inside the home when a temporary light source is required. The 3W Pocket Light includes a high capacity lithium-ion battery allowing the light to work continuously for 3 hours at the highest output and 8 hours at a reduced level. The Pocket Light includes an integrated magnetic stand and suspension hook.

KPWL03POC54()



W: www.kosnic.com E: sales@kosnic.com T: 0845 838 6851

## Datasheet



#### **Specification**

Voltage	3.7 Vdc
Current (mA)	811
Rated Power (W)	3
CCT Words	Day Light
CCT (K)	6500
Total Luminous Flux (lm)	300 (high) 110 (low)
Beam Angle(°)	90 x 110
Nominal Lifetime (h)	40000
Ambient Temperature Range (°C)	-10 to 40
Weight (kg)	120
Protection Rating	Class III
IK Rating	IK07
IP Rating	IP54
Battery Capacity mAh	1500
Battery Type	Lithium-ion
Battery Voltage	3.7V
Charging Time	3 hours at 1.0A
Operating Models	3 hours (high) 8 hours (low)
USB Charging Input Voltage	5 Vdc
USB Charging Input Voltage On-Site Warranty	5 Vdc None

### **Light Source Specification**

Dimmable (Y/N/Specific dimmer)	Yes (high/low)
CRI	81
Lumen Maintenance Factor (x.xx)	0.75



# Datasheet



#### **Technical Drawings**



