



## Pico

### **Pico Twist & lock fast-fit bulkhead for LED DD Lamps, 380mm diameter**

Kosnic's Pico bulkheads for LED DD lamps are IP44 rated when ceiling mounted and have a simple edge-less vacuum formed cover with high LOR. The medium and large sized bulkheads can be quickly and easily converted for emergency use by installing the optional standard or self-test emergency modules. The small bulkhead is only suitable for Kosnic's 9W LED DD lamps and cannot be converted for emergency use.

**KBHDDC13S44 ()**

## Specification

Voltage	220-240Vac 50/60Hz
Ambient Temperature Range (°C)	-20 to 40
Protection Rating	Class I
IP Rating	IP44 (ceiling mounted)
LOR	LOR 80%
On-Site Warranty	None

## Light Source Specification

Light Source Cap Type (or other interface)	Lamp Type DD lamps (4-pin),Lamp holder GR10q
--	--

## Optional Gears and Accessories

Accessories 1	Emergency Module EMDD02
Accessories 2	Self-Test Emergency Module CEC02LBL/S
Accessories 3	Trim KBHC13-TBAS
Accessories 4	Trim KBHC13-TCHM
Accessories 5	Trim KBHC13-TSCH
Accessories 6	Trim KBH13-TWHT

## Technical Drawings



